


OUTDOOR WOOD

2008 - 09 COLLECTION



SQUARE
FOOT

Square Foot brings to you a range of outdoor wood flooring which includes two product lines - Standard and Decking. Square Foot Standard is 300 X 300 mm with 30 mm total thickness, made by profiling and grooving wooden stripes which are then mounted on a special plastic resin grid base. Square Foot Decking is made with wooden planks installed by simply clicking together the grid bases that support them. Plank dimensions are 1200 X 95 mm or 600 X 95 mm with a thickness of 37 mm

Square Foot is an ideal solution for outdoor installations:

The elegance and inimitable warmth of natural wood is combined with the convenience and durability guaranteed by our exclusive technology. The product is available in two versions in a wide range of sizes. It has been designed to meet all your needs. Easy to install on any surface and just as easy to remove. Now you can make your outdoor areas as attractive as your indoor spaces. You can feel to walk barefoot on decking that ensures long-lasting comfort and safety. Studied designed and tested for outdoor areas, our outdoor floor can be installed and utilized on any level surface (concrete level base, asphalt, ground etc).

To preserve the natural colouring of the wood simply apply our special water-based oil twice a year. For all of these reasons, and many more our floor will be a quality choice!

GRID SPECIFICATIONS

Square Foot outdoor wood comes backed with a polypropylene patented grid. Polypropylene is a material known for its toughness and is also used in the manufacture of aircrafts. The grid allows drainage of water life long without the base getting spoilt. This is a unique system of drainage and of course far better than the normal wood slab drainage system, which allows fungi and moss to grow on it. Polypropylene has very good resistance to organic chemicals.

Solidity	High
Impact Strength	High
Resistance to impact	Up to -20° without change
Temperature resistance	- 20° without change, + 100° without change
Capacity	1000 kg/mq

**SWIMMING POOLS | GARDEN PATHS | GAZEBOS | PATIOS | SAUNAS
| FITNESS CENTERS | HEALTH SPAS | SEASIDE LIDOS | TRAVELING
EXHIBITIONS & EVENTS**





Our outdoor wood flooring is available in three versions:



ipe' | SMOOTH VERSION
Tile size: 300x300x30 mm

ipe' | SMOOTH VERSION

Specifically designed for surfaces such as around swimming pools, for seaside lidos and health spas, where it is essential to be able to walk barefoot in absolute safety.




ipe' | ANTISLIK VERSION
Tile size: 300x300x30 mm

ipe' | ANTISLIK VERSION

Suitable for balconies, gardens and gazebos, Ipe is a wood grown in Brazil and has a density of 900 kg/m³. This heavily dense wood ensures that the wood does not warp when exposed to moisture as well as UV light. Teak, the next best wood has a density of 610 to 690 kg/m³ which is 33% lower. Therefore our products are all available in Ipe which ensures a timeless product.

ipe' | PUZZLE

Puzzle combines the functionality of long deck with the ease of a locking system. It does not require nailing on a sub floor like traditional decking but only a click lock grid system which allows easy fixing as well as can be moved tomorrow to another venue if needed. The perfect answer for a permanent and technological installation. Puzzle is available in standard sizes of 1200 mm length to ensure even finish everywhere.



ipe' | PUZZLE Tile size: 1200x96x37 mm



INSTALLATION - CLICK SYSTEM

Installing our outdoor wood floor is quick and easy. Just a simple click and your floor is ready to be walked on or removed at any time.

OUTDOOR WOOD FINISH

Outdoor Wood is finished with a special oil which is absorbed by the wood and provides a surface protection. The floor needs to be brushed with oil once before the summer to ensure that it does not de-colour* due to UV light.

* Wood is a product of nature and the colour will change slightly when exposed to light.

www.classicfloorings.co.in

SQUARE FOOT HEAD OFFICE

Classic Floorings & Interiors (P) Ltd.
Ground Floor, Raghuvanshi Mansion
Raghuvanshi Mills Compound
9-11 Senapati Bapat Marg
Lower Parel, Mumbai 400 013
P 91 22 4047 6211
F 91 22 2497 6216
E sales@classicfloorings.co.in

PUNE

Classic Floorings & Interiors (P) Ltd.
Ishanya, Unit No S204, 2nd Floor
Arcade No 2, Shastri Nagar
Yerwada (Behind Yerwada Jail)
Yerwada, Pune 411 006
P 91 20 4128 0838 / 39
F 91 20 4128 0840
E pune@classicfloorings.co.in

HYDERABAD

Classic Floorings & Interiors (P) Ltd.
Stellar Sphinx, 1st Floor
6-3-354/1, Panjagutta Main Road
Banjara Hills, Hyderabad 500 034
P 91 40 4003 7212 / 3
F 91 40 4003 7214
E hyderabad@classicfloorings.co.in

Area Representatives

CHENNAI 91 93802 89590, 91 93831 94344

RAJKOT 91 93776 0760

KOLKATA

Classic Floorings & Interiors (P) Ltd.
505, Homeland Mall
18B Ashutosh Mukherjee Road
Kolkata 700 020
P 91 33 3042 4243 / 44
F 91 33 3042 4245
E kolkata@classicfloorings.co.in

NEW DELHI

Classic Floorings & Interiors (P) Ltd.
A-11/A, Savitri Nagar
Near Malviya Nagar
New Delhi 110 017
P 91 11 2601 6862
F 91 11 2601 7049
E delhi@clssicfloorings.co.in

BANGALORE

Classic Floorings & Interiors (P) Ltd.
1st Floor, 100 Feet Road
Koramangala 4th Block
Bangalore 560 034
P 91 80 4110 1012 / 13
F 91 80 2563 3145
E bangalore@classicfloorings.co.in